

Quelques scripts (f)utiles

- Objet : liste en vrac de scripts plus ou moins utiles ... donc indispensables :D
- Niveau requis :
 - [débutant, avisé](#)
- Commentaires : *page à piller.*
- Débutant, à savoir : [Utiliser GNU/Linux en ligne de commande, tout commence là !.](#) 😊



Les scripts sont des fichiers texte rédigés dans différents langages ([bash](#), python, perl, ruby...) et qui envoient des commandes à votre système.

l'intérêt majeur du script est de regrouper en un appel, une série de commandes et ainsi, d'effectuer des tâches complexes simplement.

Pour être actif, un script doit être **exécutable** ([chmod +x](#))

chrono xxs

un chronomètre graphique rudimentaire mais efficace ;) [sources by thuban](#)

[chrono-xxs](#)

```
#!/bin/sh
#
WAIT=`zenity --entry --title="Timer" \
--text="Temps de l'activité? (ex: 10m)"` 

if [ -n "$(echo $WAIT | grep -o 'm')"; then
    # minutes
    FACT=60
    WAIT=$(echo $WAIT | sed 's;m;;')
elif [ -n "$(echo $WAIT | grep -o 'h')"; then
    # heures
    WAIT=$(echo $WAIT | sed 's;h;;')
    FACT=3600
else
    # secondes
    WAIT=$(echo $WAIT | sed 's;s;;')
    FACT=1
fi

WAIT=$(echo $(expr $WAIT \* $FACT))
echo $WAIT
i=0

(
    echo "#$WAIT secondes restantes"
```

```

        while [ "$i" -lt "$WAIT" ]; do
            sleep 1
            i=$(expr $i + 1)
            PERC=$(expr $i \* 100 / $WAIT )
            echo "$PERC"
            echo "#$(expr $WAIT - $i) secondes restantes"
        done
    ) |
zenity --progress \
--percentage=0 \
--title="Compte à rebours" \
--auto-kill

aplay ~/.scripts/harp.wav
zenity --info --title="Timer" --text="C'est fini!"

exit 0

```

cclm

script de coloration des logs

[cclm](#)

```

#!/bin/sh
# colored var/log/messages in tty12
# usage: in /etc/inittab
# c12:123456:respawn:/sbin/agetty -n -l /usr/local/bin/cclm 38400 tty12
linux
file=/var/log/messages
tail -f $file | ccze -A

```

cli radio

écouter la radio depuis la console avec mplayer

[cli-radio.sh](#)

```

#!/bin/bash

#####
# cli_radio                                #
# based on IceFox radio-select script      #
#####
```

```
# <http://www.linuxtrack.com/t1214-radioselect-sh.htm> #
#####
#
# set colors
RED='\e[41m'
BLUE='\e[44m'
CYAN='\e[46m'
NC='\e[0m'

# set player
PLAYER="/usr/bin/mplayer"

# verify if $PLAYER is installed
if [ -e $PLAYER ]; then
    # stop current $PLAYER session
    if [ "$(pidof mplayer)" ]; then
        killall mplayer
    fi
    while true; do
        clear
        echo ""
        echo " ....."
        echo " .           select a station and play ."
        echo " ."
        echo -e " . $CYAN[space]$NC to pause, $CYAN[q]$NC to stop,
$CYAN[Ctrl]+[c]$NC to quit ."
        echo " ....."
        echo ""
        echo " ....."
        echo -e " . $BLUE 1 $NC Addict Alternative   $BLUE 2 $NC
Addict Lounge ."
        echo -e " . $BLUE 3 $NC Addict Rock          $BLUE 4 $NC
Addict Star ."
        echo -e " . $BLUE 5 $NC Best-Hits          $BLUE 6 $NC Best-
Dance ."
        echo -e " . $BLUE 7 $NC BFM                $BLUE 8 $NC
Contact FM ."
        echo -e " . $BLUE 9 $NC FG DJ Radio        $BLUE 10 $NC FG
Underground ."
        echo -e " . $BLUE 11 $NC FG Vintage         $BLUE 12 $NC
Fréquence Jazz ."
        echo -e " . $BLUE 13 $NC Fun Radio          $BLUE 14 $NC NRJ
."
        echo -e " . $BLUE 15 $NC Radio Gerard       $BLUE 16 $NC Radio
Nova ."
        echo -e " . $BLUE 17 $NC RTL                $BLUE 18 $NC RTL2
."
        echo -e " . $BLUE 19 $NC FIP                $BLUE 20 $NC
custom link... ."
        echo " ....."
        echo ""
    done
fi
```

```
echo -e " select a $BLUE number $NC from 1 to 20 then hit
$CYAN[Enter]$NC"
echo ""
read choix
case $choix in
    1)
        $PLAYER
http://stream1.addictradio.net/addictalternative.mp3
;;
    2)
        $PLAYER http://stream1.addictradio.net/addictlounge.mp3
;;
    3)
        $PLAYER http://stream1.addictradio.net/addictrock.mp3
;;
    4)
        $PLAYER http://stream1.addictradio.net/addictstar.mp3
;;
    5)
        $PLAYER http://sv1.vestaradio.com:9500
;;
    6)
        $PLAYER http://sv1.vestaradio.com:7420
;;
    7)
        $PLAYER http://vipicecast.yacast.net/bfm
;;
    8)
        $PLAYER http://broadcast.infomaniak.ch/radio-contact-
high.mp3
;;
    9)
        $PLAYER http://fg.impek.tv/listen.pls
;;
    10)
        $PLAYER http://ufg.impek.tv/listen.pls
;;
    11)
        $PLAYER http://fgv.impek.tv/listen.pls
;;
    12)
        $PLAYER http://broadcast.infomaniak.ch/frequencejazz-
high.mp3
;;
    13)
        $PLAYER http://streaming.radio.funradio.fr:80/fun-1-44-128
;;
    14)
        $PLAYER http://mp3.live.tv-radio.com/nrj/all/nrj_113225.mp3
;;
    15)
```

```

        $PLAYER http://www.mistercouzin.net:8000/listen.pls
        ;;
16)   $PLAYER http://broadcast.infomaniak.net/radionova-high.mp3
        ;;
17)   $PLAYER http://streaming.radio.rtl.fr/rtl-1-44-96
        ;;
18)   $PLAYER http://streaming.radio.rtl2.fr:80/rtl2-1-44-96
        ;;
19)   $PLAYER http://www.tv-
radio.com/station/fip_mp3/fip_mp3-128k.m3u
        ;;
20)
    echo ""
    echo "put your custom link here"
    echo ""
    read customlink
    $PLAYER $customlink
    ;;
*)
    echo -e "$RED wrong choice $NC"
    echo "try again..."
    echo ""
    sleep 2
    clear
    ;;
esac
done
else
    echo " this script need mplayer"
    echo " install it or change the PLAYER"
    echo "exiting ..."
    exit 0
fi

```

gui radio

choisir sa station de radio avec zenity

[gui-radio.sh](#)

```
#!/bin/bash
#####
##                      radio                      ##
#####
```

```
#####           IceF0x           #####
#####
##### Script sous licence WTFPL #####
#####

#Description du programme
zenity --info \
--title="radio" \
--text="EasyRadio v1.0" \
--timeout="10"

#Choix du type d'utilisation
choixType=$(zenity --list \
--radiolist \
--title="Selectionner votre radio" \
--text="Choisissez dans la liste" \
--print-column="ALL" \
--column="Choix" \
--column="starion" \
TRUE "4U Radios - All Funky Classics" \
FALSE "Addict Alternative" \
FALSE "Choisir un fichier");

#On verifie qu'il a bien valider
case $? in
  0)

    #On lance les radio selon le choix de l'utilisateur
    if [ "$choixType" = "4U Radios - All Funky Classics" ]
    then
      mplayer http://www.4uradios.com/funkyclasics.aspx
    elif [ "$choixType" = "Addict Alternative" ]
    then
      mplayer http://stream1.addictradio.net/addictalternative.mp3
    elif [ "$choixType" = "Choisir un fichier" ]
    then
      #On choisit la radio
      fileradio=$(zenity --file-selection \
        --title="choisissez un fichier m3u ? ! utiliser uniquement un
format m3u");
      mplayer $fileradio
    fi

    sleep 10;
    exit;;
  1)
    echo "Annulation";
    exit;;
  -1)
    exit;;
  *)
```

esac

crypt.sh

simple script de cryptage basic

[crypt.sh](#)

```
#!/bin/bash
# crypt.sh
# source: coyotus@2012 http://www.linuxtrack.com/t660-crypt-sh.htm

echo "choisissez crypt pour créer le message ou decrypt pour décrypter
le message"
read choix
if test $choix == 'crypt'
then
    read message
    echo $message | sed -e
"y/abcdefghijklmnopqrstuvwxyz/azertyuiopqrstuvwxyz/"
elif test $choix == 'decrypt'
then
    read message
    echo $message | sed -e
"y/azertyuiopqrstuvwxyz/abcdefghijklmnopqrstuvwxyz/"
else
    echo "quit"
fi
```

devart.sh

script de récupération du nombre de messages sur deviantart.com

[devart.sh](#)

```
#!/bin/bash

# devart.sh par wlourf 15/02/2011.
# script permettant de récupérer le nombre de messages sur son compte
deviantArt
# lancer le script sans paramètres pour plus d'infos
# Dépend de curl

# usage devart ${texeci} 600 ~/bin/devart.sh 1 messages} message(s) /
```

```
 ${texeci 600 ~/bin/devart.sh 0 feedbacks} feedbacks

#paramètres à renseigner (***** MASQUER LE MOT DE PASSE !!*****):
username="*****"
password="*****"
cookie="/tmp/cookie-da.txt"
page="/tmp/da-page.html"
#fin des paramètres

#rm $cookie
#rm $page

if [[ $# < 1 ]]; then
    echo "Ce script nécessite au moins un paramètre : "
    echo "  1 pour recharger la page de deviantArt"
    echo "  0 pour traiter le fichier en mémoire"
    echo
    echo "Deuxième paramètre optionnel :"
    echo "  notices, messages, feedbacks ou notes"
    echo "  si aucun choisi, le script affiche les 4 valeurs ci-dessus"
    exit 1
fi

if [[ "$1" == "1" ]]; then
    curl -k -c "$cookie" -d "username=$username&password=$password"
https://www.deviantart.com/users/login
    curl -k -b "$cookie" -s http://my.deviantart.com/messages/ >
"$page"
fi

function get_nb() {
    echo `cat $page | grep "View All Messages" | awk -F'i'$1'"></i>'`'{print $2}' | awk -F'<span' '{print $1}'`'
}
notices=$(get_nb 3)
messages=$(get_nb 1)
feedbacks=$(get_nb 2)
notes=$(get_nb 9)

if [[ $notices == "" ]]; then notices=0;fi
if [[ $messages == "" ]]; then messages=0;fi
if [[ $feedbacks == "" ]]; then feedbacks=0;fi
if [[ $notes == "" ]]; then notes=0;fi

case $2 in
    "notices")
        echo $notices;;
    "messages")
        echo $messages;;
    "feedbacks")
        echo $feedbacks;;
```

```

    "notes")
    echo $notes;;
*)
    echo $notices
    echo $messages
    echo $feedbacks
    echo $notes
esac

```

dmenu-google

lancer une recherche google depuis dmenu avec votre navigateur par défaut

[dmenu_google.sh](#)

```

#!/bin/bash
entry=`echo "... and search the web" | dmenu -b -fn "snap" -nb "#222222" -nf "#7D7D7D" -sb "#7D7D7D" -sf "#222222" -p "type a word..."` 
if test "X$entry" != "X"; then
    x-www-browser http://www.google.com/search?q="$entry"
fi

```

dmenu-searx

lancer une recherche searx depuis dmenu avec surf

[dmenu_searx.sh](#)

```

#!/bin/bash
entry=`echo "... powered by searx" | dmenu -b -fn "snap" -nb "#090909" -nf "#A0A0A0" -sb "#320000" -sf "#DEDEDE" -p "type a word then start searching..."` 
if test "X$entry" != "X"; then
    surf https://searx.laquadrature.net/?q="$entry"
fi

```

dmenu-home

naviguer/ouvrir/éditer les dossiers/fichiers utilisateur depuis dmenu

dmenu home.sh

```
#!/bin/bash
loc=`ls -A $HOME | dmenu -b -fn "snap" -nb '#222222' -nf '#7D7D7D' -sb
'#7D7D7D' -sf '#222222' -p 'goto/open/edit: '` && eval "rox $loc"
```

todo-dmenu

todo list simple avec dmenu

dmenu todo.sh

dualdetect

script basic pour le double-écran

[dualdetect.sh](#)

```
#!/bin/bash
SCREENSTATE=`xrandr | grep VGA-0 | awk '{print $2}'`
if [ "$SCREENSTATE" == "connected" ]; then
    xrandr --output VGA-0 --mode 1024x768 --pos 1024x0 --rotate normal
    --output LVDS --mode 1024x768 --pos 0x0 --rotate normal --output S-
    video --off --output DVI-0 --off
else
    xrandr --output VGA-0 --off --output LVDS --mode 1024x768 --pos 0x0
    --rotate normal --output S-video --off --output DVI-0 --off
fi
exit 0
```

dzen-calendar

calendrier surgissant grâce à dzen2

[dzen_calendar.sh](#)

```
#!/bin/bash
#
# pop-up calendar for dzen
# (c) 2007, by Robert Maneaq
# mods 2012, by arpinux

TODAY=$(expr `date +'%d'` + 0)
MONTH=`date +'%m'`
YEAR=`date +'%Y'`

(echo '^fg(grey)`date +'%A, %d %b'; \
echo ' day:'`date +'%j'`' - week:'`date +'%U'`; \
echo; cal | sed -re "s/(^|[])(\$TODAY)(\$|[\
])/\\1^fg(red)\\2^fg()^bg()\\3/"; \
[ $MONTH -eq 12 ] && YEAR=`expr $YEAR + 1`; cal `expr \$($MONTH + 1) \
% 12` $YEAR; \
sleep 60) | dzen2 -fn '*-terminus-*-*-12-*-*-*-*-*iso10646-*' -x
890 -y 740 -h 14 -w 125 -l 18 -e
'onstart=uncollapse;button1=exit;button3=exit'
```

ip publique

obtenir son ip publique

ip.sh

```
#!/bin/sh  
wget -q -O - checkip.dyndns.org | sed -e 's/[[:digit:]]\|.[/]//g'
```

kbd-select

sélecteur de clavier rudimentaire avec zenity

keyboard_selector.sh

```
#!/bin/bash
# simple keyboard-selector
# launch it from ~/.xinitrc
ACTION=`zenity --width=0 --height=176 --list\
           --title "SelectKbd" --text "select your keyboard"\`\
           --column "language"\`\
           "fr"\`\
           "gb"\`\
           "us"\`\
           "de"\`\
if [ -n "${ACTION}" ]; then
    case ${ACTION} in
        fr)
            setxkbmap fr
            ;;
        gb)
            setxkbmap gb
            ;;
        us)
            setxkbmap us
            ;;
        de)
            setxkbmap de
            ;;
    esac
fi
```

météo

sources: Nanoseb sur le [forum crunchbangfr](#)

un tout petit script pour récupérer la météo en console qui utilise l'api d'[openweathermap](#).
Les dépendances sont caca-utils (pour l'affichage graphique) et libxml2-utils (pour xmllint).
la ville est à mettre en paramètre (ou alors vous pouvez aussi modifier la ligne ville="\$1")

[meteo.sh](#)

```
#!/bin/bash
#
# script météo
# sources: Nanoseb
# http://crunchbang-fr.org/forum/viewtopic.php?pid=35678#p35678
#####
fichier="$HOME/.temps"
ville=$(echo $* | sed 's/\ /%20/g')
apikey="c032679388a8e1cdf1a05b90ca396"

wget -q -O "$fichier"
"http://api.openweathermap.org/data/2.5/weather?q=\"$ville"&mode=xml&units=metric"

temperature=$(xmllint --xpath "//current/temperature/@value" "$fichier" |
awk -F'"' '{print $2}')
humidity=$(xmllint --xpath "//current/humidity/@value" "$fichier" | awk
-F'"' '{print $2}')
pressure=$(xmllint --xpath "//current/pressure/@value" "$fichier" | awk
-F'"' '{print $2}')
weather=$(xmllint --xpath "//current/weather/@value" "$fichier" | awk
-F'"' '{print $2}')
weathericon=$(xmllint --xpath "//current/weather/@icon" "$fichier" |
awk -F'"' '{print $2}')
lon=$(xmllint --xpath "//current/city/coord/@lon" "$fichier" | awk
-F'"' '{print $2}')
lat=$(xmllint --xpath "//current/city/coord/@lat" "$fichier" | awk
-F'"' '{print $2}')
city=$(xmllint --xpath "//current/city/@name" "$fichier" | awk -F\""
'{print $2}')



wget -q -O "$fichier"
"http://api.worldweatheronline.com/free/v2/tz.ashx?key=$apikey&q=$lat,$
lon&format=xml"
localtime=$(xmllint --xpath "//data/time_zone/localtime" "$fichier" |
sed 's/<.*>\([<].*\)<.*>$/\1/;s/-/\ /g' | awk '{print $4 " " $3 "/"'
"$2 "/" $1}')

wget -q -O "$fichier"
"http://openweathermap.org/img/w/${weathericon}.png"
```

```

echo "$city      $localtime"
echo
img2txt -f utf8 -W 50 -x 7 -y 14 "$fichier" | sed '/^\\ *$/d'
echo
echo "Température : $temperature°C      Humidité : $humidity%"
echo "Pression : $pressure hPa          Temps : $weather"

rm "$fichier"

```

mods

trouver les derniers fichiers modifiés

mods

```

#!/bin/bash
# find in time
# arpinux 2012 <http://arpinux.org>
if [ "$2" = "" ]; then
    param=1
else
    param=$2
fi
if [ "$1" == "-m" ]; then
    find /$PWD/ -mmin -$2
elif [ "$1" == "-d" ]; then
    find /$PWD/ -mtime -$2
else
    echo "find_in_time Usage:"
    echo "mods -m 'n' = modified in the last 'n' minutes"
    echo "mods -d 'n' = modified in the last 'n' days"
fi

```

revert

script indispensable

revert.sh

```

#!/bin/bash
# useless revert script
# sources: http://www.coyotus.com/viewtopic.php?id=1280
read message

```

```
echo $message | sed -e
"y/abcdefghijklmnopqrstuvwxyz,'/z' | rev
```

le même en GUI

[revert_gui.sh](#)

```
#!/bin/bash

message=$(zenity --entry --text="Veuillez entrer votre texte à
retourner :" --title="Texte à l'envers")
list=$(echo $message | sed -e
"y/abcdefghijklmnopqrstuvwxyz,'/z' | rev)
maj=$(date +%F)

zenity --info \
--text "$list\n$maj" \
--title="Votre texte à l'envers" \
```

scratchpad

un terminal en popup

[scratchpad.sh](#)

```
#!/bin/sh

#####
# scratchpad.sh
# a simle scratchpad script by c00kiemon5ter
# https://github.com/c00kiemon5ter/scripts
#####

name="scratchpad"
class="URxvt"

# print the window id of the window with the given
# instance name as the first argument '$1' and
# class name as the second argument '$2'
get_win_id() {
    xwininfo -root -children -int | awk -v n="$1" -v c="$2" 'NF < 5 {
next } $(NF - 3) == "("""n"""" && $(NF - 2) == """c""")" { print $1 }'
}

# get the window id
winid="$(get_win_id "$name" "$class")"
```

```

# if the window was not found
if [ -z "$winid" ]
then
    # spawn it
    urxvtc -name "$name"
    # get the window id again
    winid=$(get_win_id)
    # if the window was not found then something is really wrong. give
    up.
    [ -z "$winid" ] && exit 1
fi

# if the window is hidden show it, else hide it
if ! xwininfo -id "$winid" | awk '$1 == "Map" && $2 == "State:" { exit
($3 == "IsUnMapped") }'
then xdotool windowmap "$winid"
else xdotool windowunmap "$winid"
fi

```

screencast

enregistrer son écran depuis la console avec ffmpeg

[screencast.sh](#)

```

#!/bin/bash
# record desktop with ffmpeg

ffmpeg -r 30 -s 1024x768 -f x11grab -i :0.0 -vcodec msmpeg4v2 -qscale 2
desktop_record-`date +%Y%m%d`.avi

```

search the web

simple recherche internet lancée depuis une petite fenêtre zenity source : Photonucleon sur le [forum crunchbanglinux](#)

[ggsearch.sh](#)

```

#!/bin/bash
## google-script simple par photonucleon
## source : http://crunchbang.org/forums/viewtopic.php?id=29412
gsearch=`zenity --entry --title='Google' --text='Recherche:'`"
if [ -z $gsearch ]

```

```

    then
        exit
else
    x-www-browser "http://www.google.fr/search?q=$gsearch"
fi
exit

```

session-selector

sélecteur de session sans GDM/KDM pour gestionnaire de fenêtre indépendant

[session_selector.sh](#)

```

#!/bin/bash
# simple session-selector
# launch it from ~/.xinitrc
# delete/add a section to remove/add a session
# -----
# set username
# -----
HUMAN=`w -h | tail -n1 | awk '{print $1}'`
# configure dialog window
#
ACTION=`zenity --width=315 --height=335 --list\
         --title "Select your Wm" --text "Welcome to Livarp_0.3.2
$HUMAN \n pick or edit a session -->>" \
         --column "sessions" --column " what?" \
         "wmfs" "window manager from scratch v2" \
         "dwm" "the dynamic window manager reloaded" \
         "echinus" "the easy tiling" \
         "evilwm" "they sold their soul to X" \
         "pekwm" "the only one" \
         "fluxbox" "the famous one" \
         "compiz" "standalone session (testing)" \
         " " " \
         "edit" "configure startup scripts" \
         " " " \
         "reboot" "restart your computer" \
         "halt" "shutdown your computer" \
# session launchers
# -----
if [ -n "${ACTION}" ]; then
    case ${ACTION} in
        dwm)
            exec ck-launch-session $HOME/bin/start/dwm_start.sh
            ;;
        echinus)
            exec ck-launch-session $HOME/bin/start/echinus_start.sh
    esac
fi

```

```
        ;;
    evilwm)
        exec ck-launch-session $HOME/bin/start/evil_start.sh
        ;;
    wmfswmfs)
        exec ck-launch-session $HOME/bin/start/wmfswmfs_start.sh
        ;;
    pekwm)
        exec ck-launch-session $HOME/bin/start/pekwm_start.sh
        ;;
    fluxbox)
        exec ck-launch-session $HOME/bin/start/fluxbox_start.sh
        ;;
    compiz)
        exec ck-launch-session $HOME/bin/start/compiz_start.sh
        ;;
    edit)
        geany -s $HOME/bin/start/*_start.sh
        session_selector.sh
        ;;
    reboot)
        sudo shutdown -r now
        ;;
    halt)
        sudo shutdown -h now
        ;;
esac
fi
```

shellshock-cheker

Script pour tester la présence de vulnérabilité bash CVE-2014-6271 et CVE-2014-7169

shellshock-checker

```
#!/bin/bash
# Shellshock Vulnerability Tester Script
# Original shellshock-cheker script (C) by coyotus
# Under licence GPLv3 http://www.gnu.org/licenses/gpl.txt
# optional required "zenity"

echo '()'
```

space-replace

remplacer " " par " "

space replace.sh

```
#!/bin/bash
#simple script to replace " " by "_"  
  
for i in *; do
    mv "$i" `echo "$i" | tr \' _\'`  
done
```

space-rename

alternative à space-replace par manon

[space_rename.sh](#)

```
#!/bin/bash
#simple script to replace " " by "_"
#sources: manon
<http://crunchbanglinux-fr.org/forum/viewtopic.php?id=1779>
exec rename 'y/ /_/ '"*
```

stats

affiche quelques info système

[stats.sh](#)

```
#!/bin/bash
# stats.sh by n1x4 <https://github.com/n1x4/bin/blob/master/stats.sh>

clear
declare -rx BC="/usr/bin/bc"

if test -f $HOME/.gtkrc-2.0;then
    GTK=$HOME/.gtkrc-2.0
else
    GTK=$HOME/.gtkrc-3.0
fi

if test ! -x $BC; then
    echo -e "\e[0;31m$BC is not available, please install before continuing."
    exit 192
fi

host=`cat /proc/sys/kernel/hostname`
mem_total=`free -m | grep "Mem" | awk '{print $2}'` 
mem_used=`free -m | grep "buffers/" | awk '{print $3}'` 
hd_used=`df | grep "sda" | awk '{print $3}'` 
hd_total=`df | grep "sda" | awk '{print $2}'` 
type=`df -T | grep "sda" | awk '{print $2}'` 
idle=`cat /proc/uptime | awk '{print $2}'` 
kernel=`cat /proc/version | awk '{print $3}'` 
cpu=`cat /proc/cpuinfo | grep "model name" | awk '{print $4,$5,$6,$7}'`
```

```

theme=`cat $GTK | grep "gtk-theme-name" | cut -d= -f2 | tr -d '"'`  

icon=`cat $GTK | grep "gtk-icon-theme-name" | cut -d= -f2 | tr -d '"'`  

font=`cat $GTK | grep "gtk-font-name" | cut -d= -f2 | tr -d '"'`  
  

function uptime() {  

    uptime=$(
```

`</proc/uptime`)

```
    uptime=${uptime%%.*}  
  

    seconds=$(( uptime%60 ))  

    minutes=$(( uptime/60%60 ))  

    hours=$(( uptime/60/60%24 ))  

    days=$(( uptime/60/60/24 ))  

    echo -e $days"-days", $hours"-hrs" $minutes"-mins" $seconds"-s"  

}  
  

echo -e "\e[1;33mUptime\e[0m: $(uptime)"  

echo -e "\e[1;33mKernel\e[0m: $kernel"  

echo -e "\e[1;33mHostname\e[0m: $host"  

echo -e "\e[1;33mCPU\e[0m: $cpu"  

echo -e "\e[1;33mRAM\e[0m: $mem_used Mb / $mem_total Mb  

(\e[0;31m$((mem_used*100/mem_total))\e[0m%)"  

echo -e "\e[1;33mROOT\e[0m: $(echo "scale=3; $hd_used/1000000" |  

bc) Gb / $(echo "scale=3; $hd_total/1000000" | bc) Gb  

(\e[0;31m$((hd_used*100/hd_total))\e[0m%) ($type)"  

echo -e "\e[1;33mTheme\e[0m: $theme"  

echo -e "\e[1;33mIcons\e[0m: $icon"  

echo -e "\e[1;33mFont\e[0m: $font"  

echo -e "\n"  

echo -e "Colors:\n\e[0;30m##### \e[0;31m##### \e[0;32m#####  

\e[0;33m##### \e[0;34m##### \e[0;35m##### \e[0;36m#####  

\e[0;37m#####\e[0m"  

echo -e "\e[1;30m##### \e[1;31m##### \e[1;32m##### \e[1;33m#####  

\e[1;34m##### \e[1;35m##### \e[1;36m##### \e[1;37m#####\e[0m\n"  

exit 0

```

server mods

recevoir par mail les derniers fichiers modifiés sur un serveur

[watch_server.sh](#)

```

#!/bin/bash
#
#
#
#  

echo -e "  

_____
```



```
Programme de surveillance des fichiers PHP, HTML & JS
v 1.0
contact : http://inazo.over-blog.com
```

```
""

# Adresse ou sera envoyer le rapport en question
MailTo="test@myemail.com"

# Sujet du rapport de l'email envoyé
Subject="Rapport surveillance des fichiers PHP serveur mon_serveur"

#On va chercher tous les fichiers PHP qui ont été modifié ce jour
find /var/www/ -name -prune -o -regex '.*\.(php\|html\|js\).*' -mtime
0 > ListeFichierModifier.txt

mail -s "$Subject" "$MailTo" < ListeFichierModifier.txt

rm ListeFichierModifier.txt
```

termcolors

afficher les couleurs du terminal

[term_colors.sh](#)

```
#!/bin/bash
# Original: http://frexx.de/xterm-256-notes/
#           http://frexx.de/xterm-256-notes/data/colortable16.sh
# Modified by Aaron Griffin
# and further by Kazuo Teramoto
FGNAMES=(' black ' ' red ' ' green ' ' yellow ' ' blue ' 'magenta' '
cyan ' ' white ')
BGNAMES=( 'DFT' 'BLK' 'RED' 'GRN' 'YEL' 'BLU' 'MAG' 'CYN' 'WHT' )

echo "
```

```

    "
for b in {0..8}; do
  ((b>0)) && bg=$((b+39))

  echo -en "\033[0m ${BGNAMES[b]} | "

  for f in {0..7}; do
    echo -en "\033[${bg}m\033[$((f+30))m ${FGNAMES[f]} "
  done

  echo -en "\033[0m | "
  echo -en "\033[0m\n\033[0m      | "

  for f in {0..7}; do
    echo -en "\033[$bgm\033[1;$((f+30))m ${FGNAMES[f]} "
  done

  echo -en "\033[0m | "
  echo -e "\033[0m"

  ((b<8)) &&
  echo "
done
echo "

```

termaliencolors

afficher les couleurs du terminal avec des aliens

[termaliens_color.sh](#)

```

#!/bin/bash
#
# ANSI color scheme script featuring Space Invaders
#
# Original: http://crunchbanglinux.org/forums/post/126921/#p126921
# Modified by lolilolicon
#

f=3 b=4
for j in f b; do
  for i in {0..7}; do
    printf -v $j$i %b "\e[${!j}${i}m"
  done

```

```

done
bld=$'\e[1m'
rst=$'\e[0m'

cat << EOF
$f1 $f2 $f3 $f4 $f5
$f6 $rst
$f1 $f2 $f3 $f4
$f5 $f6 $rst
$f1 $f2 $f3 $f4
$f5 $f6 $rst
$f1 $f2 $f3 $f4 $f5
$f6 $rst
$bld$f1 $f2 $f3 $f4 $f5
$f5 $f6 $rst
$bld$f1 $f2 $f3 $f4
$f5 $f6 $rst
$bld$f1 $f2 $f3 $f4
$f5 $f6 $rst
$bld$f1 $f2 $f3 $f4
$f5 $f6 $rst
EOF

```

\$f7| \$rst

\$f7| \$rst

\$f7| \$rst

\$f7| \$rst

watch-inside

visionneur basic avec feh

[watch-inside.sh](#)

```

#!/bin/bash
# image browser with feh
# sources: https://bbs.archlinux.org/viewtopic.php?pid=884635#p884635
# Change the input field separator to avoid problems with spaces.
IFS='
'
# Get the target file, its name, directory, and the other files in the

```

```

directory.
_fpath="${1%/}"
_fname=$(basename "$_fpath")
_dpath=$(dirname "$_fpath")
_flist=(${ls "$_dpath"})

# Determine the index of the target file in the file list array.
_i=0
for _file in "${_list[@]}"; do
    [ "${_file}" == "$_fname" ] && break
    _i=$(( $_i + 1 ))
done

# Remove the target file from the arguments, leaving any eventual
arguments to
# feh.
shift
# Change to the directory and launch feh with the target file as the
first
# argument, and the rest of the files in their normal order.
cd "$_dpath"
feh -Z -g 600x600 -B black -q "$@" "${_list[@]:$_i}"
"${_list[@]:0:$_i}"

```

xcomp-select

sélecteur d'effet pour xcompmgr

[xcomp-select.sh](#)

```

#!/bin/bash
# xcompmgr level selector
# arpinux 2012 <http://arpinux.org>
if [ "$1" == "-s" ]; then
    killall xcompmgr
elif [ "$1" == "-l" ]; then
    killall xcompmgr
    sleep 1s
    xcompmgr -fF &
elif [ "$1" == "-m" ]; then
    killall xcompmgr
    sleep 1s
    xcompmgr -CcfF -I20 -O10 -D1 -t-5 -l-5 -r4.2 -o.82 &
elif [ "$1" == "-f" ]; then
    killall xcompmgr
    sleep 1s
    xcompmgr -CcfF -I-.015 -O-.03 -D6 -t-1 -l-3 -r4.2 -o.5 &
else

```

```
echo "xcompmgr_livarp Usage:"  
echo "-s = stop"  
echo "-l = light"  
echo "-m = medium"  
echo "-f = full"  
fi
```

From:

<http://debian-facile.org/> - Documentation - Wiki

Permanent link:

<http://debian-facile.org/utilisateurs:arpinux:tutos:scripts-f-utiles>



Last update: **03/07/2016 00:25**