

Fichier de configuration Xresources

ou comment configurer les couleurs dans son terminal et ses applications CLI...

- Objet : configurer l'apparence du terminal et de quelques applications simples
- Niveau requis :
[débutant](#)
- Commentaires : *configuration fine de son environnement.*
- Débutant, à savoir : [Utiliser GNU/Linux en ligne de commande, tout commence là !](#) 😊

le fichier `~/.Xresources` est lu en début de session et permet d'appliquer certaines options aux applications y faisant appel. le fichier est explicite et n'a besoin d'aucun wiki en fait :)

processus :

- j'édite le fichier `~/.Xresources` avec un éditeur de texte
- je lance la commande pour intégrer les modifications

```
xrdb -merge ~/.Xresources
```

je vous présente ici 6 'colorscheme' et leurs codes respectifs.

livarp



[livarp.xresources](#)

```
! author: arpinux <http://arpinux.org>
! ~/.Xresources configuration file
!-----
-

! dzen2 -----
-
dzen2.font:  -*-fixed-**-*-10-70-**-*-*-*-
dzen2.foreground: #C7C7C7
dzen2.background: #222222

! Xcursor settings -----
-
Xcursor.theme: ATER_Blue

! Xft settings -----
-
Xft.dpi: 96
Xft.autohint: 0
```

```
Xft.lcdfilter: lcddefault
Xft.antialias: 1
Xft.rgba: rgb
Xft.hinting: 1
Xft.hintstyle: hintfull

! xterm -----
-
xterm*saveLines: 1000
xterm*AllowIconInput: on
xterm*Background: black
xterm*Border: gray
xterm*DeiconifyWarp: off
xterm*Font: *-terminus-medium-*-12-*-*-*-*-*
xterm*Foreground: grey80
xterm*InternalBorder: 1
xterm*MarginBell: off
xterm*MenuFont: fixed8
xterm*Mouse: yellow
xterm*TitleFont: vtbold
xterm*charClass: 33:48,37:48,45-47:48,64:48
xterm*colorAttrMode: true
xterm*colorMode: true
xterm*curses: on
xterm*cutNewline: off
xterm*jumpScroll: on
xterm*multiClickTime: 500
xterm*multiScroll: on
xterm*reverseVideo: on
xterm*reverseWrap: off
xterm*scrollBar: off

! xcolorsel -----
-
xcolorsel*Background: grey20
xcolorsel*Foreground: grey80
xcolorsel*Font: *-terminus-medium-*-12-*-*-*-*-*
xcolorsel.geometry: 399x595
xcolorsel*displayFormat: #rrggbb
xcolorsel*maxRows: 99

! xfontsel -----
-
xfontsel*Background: grey20
xfontsel*Foreground: grey80

! xosview -----
-
xosview*font: *-terminus-medium-*-12-*-*-*-*-*
xosview*background: grey20
xosview*foreground: grey80
```

```
xosview*net: true
xosview*netIface: eth0

! xscreensaver -----
-
!font settings
xscreensaver.Dialog.headingFont: *-dina-bold-r-*-12-*-*-*-*-*-*
xscreensaver.Dialog.bodyFont: *-dina-medium-r-*-12-*-*-*-*-*-*
xscreensaver.Dialog.labelFont: *-dina-medium-r-*-12-*-*-*-*-*-*
xscreensaver.Dialog.unameFont: *-dina-medium-r-*-12-*-*-*-*-*-*
xscreensaver.Dialog.buttonFont: *-dina-bold-r-*-12-*-*-*-*-*-*
xscreensaver.Dialog.dateFont: *-dina-medium-r-*-12-*-*-*-*-*-*
xscreensaver.passwd.passwdFont: *-dina-bold-r-*-12-*-*-*-*-*-*
!general dialog box (affects main hostname, username, password text)
xscreensaver.Dialog.foreground: #ffffff
xscreensaver.Dialog.background: #111111
xscreensaver.Dialog.topShadowColor: #111111
xscreensaver.Dialog.bottomShadowColor: #111111
xscreensaver.Dialog.Button.foreground: #666666
xscreensaver.Dialog.Button.background: #ffffff
!username/password input box and date text colour
xscreensaver.Dialog.text.foreground: #666666
xscreensaver.Dialog.text.background: #ffffff
xscreensaver.Dialog.internalBorderWidth: 24
xscreensaver.Dialog.borderWidth: 20
xscreensaver.Dialog.shadowThickness: 2
!timeout bar (background is actually determined by
Dialog.text.background)
xscreensaver.passwd.thermometer.foreground: #006aff
xscreensaver.passwd.thermometer.background: #000000
xscreensaver.passwd.thermometer.width: 8
!datestamp format--see the strftime(3) manual page for details
xscreensaver.dateFormat: %I:%M%P %a %b %d, %Y

! xclock -----
-
xclock*update: 1
xclock*analog: false
xclock*foreground: grey40
xclock*background: black
xclock*font: *-fixed-*-8-*-*-*-*-*-*

! urxvt config -----
-
URxvt.termName: rxvt-unicode
URxvt.imLocale: fr_FR.UTF-8
URxvt.saveLines: 5000
URxvt.cursorBlink: true
URxvt.foreground: #bcbcbc
URxvt.background: #000000
```

```
URxvt.cursorColor: #e0e080
URxvt.throughColor: #8080f0
URxvt.highlightColor: #343434
URxvt.transparent: true
URxvt.tintColor: #999999
URxvt.fading: 40
URxvt.visualBell: true
URxvt.urgentOnBell: true
URxvt.font: *-terminus-medium-*-12-*-*-*-*-*
URxvt.scrollBar: false
URxvt.scrollBar_right: false
URxvt.urlLauncher: luakit
URxvt.matcher.button: 3
URxvt.perl-ext-common: default,matcher
! colors
! link
URxvt.colorUL: #4E9A06
! black
URxvt.color0: #2E3436
URxvt.color8: #555753
! red
URxvt.color1: #CC0000
URxvt.color9: #EF2929
! green
URxvt.color2: #4E9A06
URxvt.color10: #8AE234
! yellow
URxvt.color3: #C4A000
URxvt.color11: #FCE94F
! blue
URxvt.color4: #3465A4
URxvt.color12: #729FCF
! purple
URxvt.color5: #75507B
URxvt.color13: #AD7FA8
! cyan
URxvt.color6: #06989A
URxvt.color14: #34E2E2
! white
URxvt.color7: #D3D7CF
URxvt.color15: #EEEEEC

! aterm -----
-
Aterm*background: #000000
Aterm*foreground: #bcbcbc
Aterm*transparent: true
Aterm*shading: 80
Aterm*cursorColor: #d8d8d8
Aterm*scrollbars: false
Aterm*saveLines: 2000
```

```
Aterm*tinting: gray
Aterm*scrollBar: false
Aterm*transpscrollbar: true
Aterm*borderwidth: 0
Aterm*font: *-terminus-medium-*-*-*12-*-*-*-*-*-*
Aterm*geometry: 80x25
Aterm*fading: 70
!colors
!black
Aterm*color0: #2E3436
Aterm*color8: #555753
!red
Aterm*color1: #CC0000
Aterm*color9: #EF2929
!green
Aterm*color2: #4E9A06
Aterm*color10: #8AE234
!yellow
Aterm*color3: #C4A000
Aterm*color11: #FCE94F
!blue
Aterm*color4: #3465A4
Aterm*color12: #729FCF
!magenta
Aterm*color5: #75507B
Aterm*color13: #AD7FA8
!cyan
Aterm*color6: #06989A
Aterm*color14: #34E2E2
!white
Aterm*color7: #D3D7CF
Aterm*color15: #EEEEEC

! xcalc -----
-
xcalc*geometry: 200x275
xcalc.ti.bevel.background: #111111
xcalc.ti.bevel.screen.background: #000000
xcalc.ti.bevel.screen.DEG.background: #000000
xcalc.ti.bevel.screen.DEG.foreground: LightSeaGreen
xcalc.ti.bevel.screen.GRAD.background: #000000
xcalc.ti.bevel.screen.GRAD.foreground: LightSeaGreen
xcalc.ti.bevel.screen.RAD.background: #000000
xcalc.ti.bevel.screen.RAD.foreground: LightSeaGreen
xcalc.ti.bevel.screen.INV.background: #000000
xcalc.ti.bevel.screen.INV.foreground: Red
xcalc.ti.bevel.screen.LCD.background: #000000
xcalc.ti.bevel.screen.LCD.foreground: LightSeaGreen
xcalc.ti.bevel.screen.LCD.shadowWidth: 0
xcalc.ti.bevel.screen.M.background: #000000
xcalc.ti.bevel.screen.M.foreground: LightSeaGreen
```

```
xcalc.ti.bevel.screen.P.background: #000000
xcalc.ti.bevel.screen.P.foreground: Yellow
xcalc.ti.Command.foreground: White
xcalc.ti.Command.background: #777777
xcalc.ti.button5.background: Orange3
xcalc.ti.button19.background: #611161
xcalc.ti.button18.background: #611161
xcalc.ti.button20.background: #611111
!uncomment to change label on division button
!xcalc.ti.button20.label:        /
xcalc.ti.button25.background: #722222
xcalc.ti.button30.background: #833333
xcalc.ti.button35.background: #944444
xcalc.ti.button40.background: #a55555
xcalc.ti.button22.background: #222262
xcalc.ti.button23.background: #222262
xcalc.ti.button24.background: #222272
xcalc.ti.button27.background: #333373
xcalc.ti.button28.background: #333373
xcalc.ti.button29.background: #333373
xcalc.ti.button32.background: #444484
xcalc.ti.button33.background: #444484
xcalc.ti.button34.background: #444484
xcalc.ti.button37.background: #555595
xcalc.ti.button38.background: #555595
xcalc.ti.button39.background: #555595
XCalc*Cursor: hand2
XCalc*ShapeStyle: rectangle
!
! eof -----
-
```

livarp clear



[livarp_clear.xresources](#)

```
! author: arpinux <http://arpinux.org>
! ~/.Xresources configuration file
!-----
-

! dzen2 -----
-
dzen2.font:  *-fixed-**-*-10-70-**-*-*-*-
dzen2.background: #C7C7C7
dzen2.foreground: #222222
```

```
! Xcursor settings -----
-
Xcursor.theme: ATER_Blue

! Xft settings -----
-
Xft.dpi: 96
Xft.autohint: 0
Xft.lcdfilter: lcddefault
Xft.antialias: 1
Xft.rgba: rgb
Xft.hinting: 1
Xft.hintstyle: hintfull

! xterm -----
-
xterm*saveLines: 1000
xterm*AllowIconInput: on
xterm*Background: grey90
xterm*Border: gray
xterm*DeiconifyWarp: off
xterm*Font: *-terminus-medium-*-*-12-*-**-*-*
xterm*Foreground: grey30
xterm*InternalBorder: 1
xterm*MarginBell: off
xterm*MenuFont: fixed8
xterm*Mouse: yellow
xterm*TitleFont: vtbold
xterm*charClass: 33:48,37:48,45-47:48,64:48
xterm*colorAttrMode: true
xterm*colorMode: true
xterm*curses: on
xterm*cutNewline: off
xterm*jumpScroll: on
xterm*multiClickTime: 500
xterm*multiScroll: on
xterm*reverseVideo: on
xterm*reverseWrap: off
xterm*scrollBar: off

! xcolorssel -----
-
xcolorssel*Background: grey80
xcolorssel*Foreground: grey20
xcolorssel*Font: *-terminus-medium-*-*-12-*-**-*-*
xcolorssel.geometry: 399x595
xcolorssel*displayFormat: #rrggbb
xcolorssel*maxRows: 99

! xfontsel -----
```

```
-
xfontsel*Background: grey80
xfontsel*Foreground: grey20

! xosview -----
-
xosview*font:  *-terminus-medium-*-*-*12-*-*-*-*-*-*
xosview*background: grey80
xosview*foreground: grey20
xosview*net: true
xosview*netIface: eth0

! xscreensaver -----
-
!font settings
xscreensaver.Dialog.headingFont:  *-dina-bold-r-*-*12-*-*-*-*-*-*
xscreensaver.Dialog.bodyFont:  *-dina-medium-r-*-*12-*-*-*-*-*-*
xscreensaver.Dialog.labelFont:  *-dina-medium-r-*-*12-*-*-*-*-*-*
xscreensaver.Dialog.unameFont:  *-dina-medium-r-*-*12-*-*-*-*-*-*
xscreensaver.Dialog.buttonFont:  *-dina-bold-r-*-*12-*-*-*-*-*-*
xscreensaver.Dialog.dateFont:  *-dina-medium-r-*-*12-*-*-*-*-*-*
xscreensaver.passwd.passwdFont:  *-dina-bold-r-*-*12-*-*-*-*-*-*
!general dialog box (affects main hostname, username, password text)
xscreensaver.Dialog.foreground: #ffffff
xscreensaver.Dialog.background: #111111
xscreensaver.Dialog.topShadowColor: #111111
xscreensaver.Dialog.bottomShadowColor: #111111
xscreensaver.Dialog.Button.foreground: #666666
xscreensaver.Dialog.Button.background: #ffffff
!username/password input box and date text colour
xscreensaver.Dialog.text.foreground: #666666
xscreensaver.Dialog.text.background: #ffffff
xscreensaver.Dialog.internalBorderWidth: 24
xscreensaver.Dialog.borderWidth: 20
xscreensaver.Dialog.shadowThickness: 2
!timeout bar (background is actually determined by
Dialog.text.background)
xscreensaver.passwd.thermometer.foreground: #006aff
xscreensaver.passwd.thermometer.background: #000000
xscreensaver.passwd.thermometer.width: 8
!datestamp format--see the strftime(3) manual page for details
xscreensaver.dateFormat: %I:%M%P %a %b %d, %Y

! xclock -----
-
xclock*update: 1
xclock*analog: false
xclock*foreground: #bcbcbc
xclock*background: #E6E6E6
xclock*font:  *-fixed-*-*-*8-*-*-*-*-*-*
```



```
! urxvt config -----  
-  
URxvt.termName: rxvt-unicode  
URxvt.imLocale: fr_FR.UTF-8  
URxvt.saveLines: 5000  
URxvt.cursorBlink: true  
URxvt.foreground: #bcbcbc  
URxvt.background: #E6E6E6  
URxvt.cursorColor: #e0e080  
URxvt.throughColor: #8080f0  
URxvt.highlightColor: #343434  
!URxvt.transparent: true  
URxvt.tintColor: #E6E6E6  
URxvt.fading: 40  
URxvt.visualBell: true  
URxvt.urgentOnBell: true  
URxvt.font: *-terminus-medium-*-*-*12-*-*-*-*-*  
URxvt.scrollBar: false  
URxvt.scrollBar_right: false  
URxvt.urlLauncher: luakit  
URxvt.matcher.button: 3  
URxvt.perl-ext-common: default,matcher  
! colors  
! link  
URxvt.colorUL: #4E9A06  
! black  
URxvt.color0: #2E3436  
URxvt.color8: #555753  
! red  
URxvt.color1: #CC0000  
URxvt.color9: #EF2929  
! green  
URxvt.color2: #4E9A06  
URxvt.color10: #8AE234  
! yellow  
URxvt.color3: #C4A000  
URxvt.color11: #FCE94F  
! blue  
URxvt.color4: #3465A4  
URxvt.color12: #729FCF  
! purple  
URxvt.color5: #75507B  
URxvt.color13: #AD7FA8  
! cyan  
URxvt.color6: #06989A  
URxvt.color14: #34E2E2  
! white  
URxvt.color7: #D3D7CF  
URxvt.color15: #EEEEEC
```

```
! aterm -----  
-  
Aterm*background: #E6E6E6  
Aterm*foreground: #bcbcbc  
Aterm*transparent: true  
Aterm*shading: 80  
Aterm*cursorColor: #d8d8d8  
Aterm*scrollbars: false  
Aterm*saveLines: 2000  
Aterm*tinting: gray  
Aterm*scrollBar: false  
Aterm*transpscrollbar: true  
Aterm*borderwidth: 0  
Aterm*font: *-terminus-medium-*-*-12-*-*-*-*-*-  
Aterm*geometry: 80x25  
Aterm*fading: 70  
!colors  
!black  
Aterm*color0: #2E3436  
Aterm*color8: #555753  
!red  
Aterm*color1: #CC0000  
Aterm*color9: #EF2929  
!green  
Aterm*color2: #4E9A06  
Aterm*color10: #8AE234  
!yellow  
Aterm*color3: #C4A000  
Aterm*color11: #FCE94F  
!blue  
Aterm*color4: #3465A4  
Aterm*color12: #729FCF  
!magenta  
Aterm*color5: #75507B  
Aterm*color13: #AD7FA8  
!cyan  
Aterm*color6: #06989A  
Aterm*color14: #34E2E2  
!white  
Aterm*color7: #D3D7CF  
Aterm*color15: #EEEEEC  
  
! xcalc -----  
-  
xcalc*geometry: 200x275  
xcalc.ti.bevel.background: #111111  
xcalc.ti.bevel.screen.background: #000000  
xcalc.ti.bevel.screen.DEG.background: #000000  
xcalc.ti.bevel.screen.DEG.foreground: LightSeaGreen  
xcalc.ti.bevel.screen.GRAD.background: #000000  
xcalc.ti.bevel.screen.GRAD.foreground: LightSeaGreen
```

```
xcalc.ti.bevel.screen.RAD.background: #000000
xcalc.ti.bevel.screen.RAD.foreground: LightSeaGreen
xcalc.ti.bevel.screen.INV.background: #000000
xcalc.ti.bevel.screen.INV.foreground: Red
xcalc.ti.bevel.screen.LCD.background: #000000
xcalc.ti.bevel.screen.LCD.foreground: LightSeaGreen
xcalc.ti.bevel.screen.LCD.shadowWidth: 0
xcalc.ti.bevel.screen.M.background: #000000
xcalc.ti.bevel.screen.M.foreground: LightSeaGreen
xcalc.ti.bevel.screen.P.background: #000000
xcalc.ti.bevel.screen.P.foreground: Yellow
xcalc.ti.Command.foreground: White
xcalc.ti.Command.background: #777777
xcalc.ti.button5.background: Orange3
xcalc.ti.button19.background: #611161
xcalc.ti.button18.background: #611161
xcalc.ti.button20.background: #611111
!uncomment to change label on division button
!xcalc.ti.button20.label:      /
xcalc.ti.button25.background: #722222
xcalc.ti.button30.background: #833333
xcalc.ti.button35.background: #944444
xcalc.ti.button40.background: #a55555
xcalc.ti.button22.background: #222262
xcalc.ti.button23.background: #222262
xcalc.ti.button24.background: #222272
xcalc.ti.button27.background: #333373
xcalc.ti.button28.background: #333373
xcalc.ti.button29.background: #333373
xcalc.ti.button32.background: #444484
xcalc.ti.button33.background: #444484
xcalc.ti.button34.background: #444484
xcalc.ti.button37.background: #555595
xcalc.ti.button38.background: #555595
xcalc.ti.button39.background: #555595
XCalc*Cursor: hand2
XCalc*ShapeStyle: rectangle
!
! eof -----
-
```

livarp monochrome



[livarp_mono.xresources](#)

```
! author: arpinux <http://arpinux.org>
```

```
! ~/.Xresources configuration file
!-----
-

! monochrome colorscheme -----
-
! black
*color0: #292929
*color8: #5A5A5A
! red
*color1: #494949
*color9: #7A7A7A
! green
*color2: #696969
*color10: #9A9A9A
! yellow
*color3: #B3B3B3
*color11: #C2C2C2
! blue
*color4: #898989
*color12: #A3A3A3
! purple
*color5: #595959
*color13: #737373
! cyan
*color6: #969696
*color14: #ADADAD
! white
*color7: #D7D7D7
*color15: #EEEEEC

! dzen2 -----
-
dzen2.font:  -*-fixed-**-**-10-70-**-**-**-**
dzen2.foreground: #7D7D7D
dzen2.background: #222222

! Xcursor settings -----
-
Xcursor.theme: ATER_Blue

! Xft settings -----
-
Xft.dpi: 96
Xft.autohint: 0
Xft.lcdfilter: lcddefault
Xft.antialias: 1
Xft.rgba: rgb
Xft.hinting: 1
Xft.hintstyle: hintfull
```

```
! xterm -----
-
xterm*saveLines: 1000
xterm*AllowIconInput: on
xterm*Background: black
xterm*Border: gray
xterm*DeiconifyWarp: off
xterm*Font: *-terminus-medium-*-*-12-*-*-*-*-*-
xterm*Foreground: grey80
xterm*InternalBorder: 1
xterm*MarginBell: off
xterm*MenuFont: fixed8
xterm*Mouse: yellow
xterm*TitleFont: vtbold
xterm*charClass: 33:48,37:48,45-47:48,64:48
xterm*colorAttrMode: true
xterm*colorMode: true
xterm*curses: on
xterm*cutNewline: off
xterm*jumpScroll: on
xterm*multiClickTime: 500
xterm*multiScroll: on
xterm*reverseVideo: on
xterm*reverseWrap: off
xterm*scrollBar: off

! xcolorsel -----
-
xcolorsel*Background: grey20
xcolorsel*Foreground: grey80
xcolorsel*Font: *-terminus-medium-*-*-12-*-*-*-*-*-
xcolorsel.geometry: 399x595
xcolorsel*displayFormat: #rrggb
xcolorsel*maxRows: 99

! xfontsel -----
-
xfontsel*Background: grey20
xfontsel*Foreground: grey80

! xosview -----
-
xosview*font: *-terminus-medium-*-*-12-*-*-*-*-*-
xosview*background: grey20
xosview*foreground: grey80
xosview*net: true
xosview*netIface: eth0

! xscreensaver -----
-
!font settings
```

```
xscreensaver.Dialog.headingFont: *-dina-bold-r-*-12-*-*-*-*-*-*
xscreensaver.Dialog.bodyFont: *-dina-medium-r-*-12-*-*-*-*-*-*
xscreensaver.Dialog.labelFont: *-dina-medium-r-*-12-*-*-*-*-*-*
xscreensaver.Dialog.unameFont: *-dina-medium-r-*-12-*-*-*-*-*-*
xscreensaver.Dialog.buttonFont: *-dina-bold-r-*-12-*-*-*-*-*-*
xscreensaver.Dialog.dateFont: *-dina-medium-r-*-12-*-*-*-*-*-*
xscreensaver.passwd.passwdFont: *-dina-bold-r-*-12-*-*-*-*-*-*
!general dialog box (affects main hostname, username, password text)
xscreensaver.Dialog.foreground: #ffffff
xscreensaver.Dialog.background: #111111
xscreensaver.Dialog.topShadowColor: #111111
xscreensaver.Dialog.bottomShadowColor: #111111
xscreensaver.Dialog.Button.foreground: #666666
xscreensaver.Dialog.Button.background: #ffffff
!username/password input box and date text colour
xscreensaver.Dialog.text.foreground: #666666
xscreensaver.Dialog.text.background: #ffffff
xscreensaver.Dialog.internalBorderWidth: 24
xscreensaver.Dialog.borderWidth: 20
xscreensaver.Dialog.shadowThickness: 2
!timeout bar (background is actually determined by
Dialog.text.background)
xscreensaver.passwd.thermometer.foreground: #006aff
xscreensaver.passwd.thermometer.background: #000000
xscreensaver.passwd.thermometer.width: 8
!datestamp format--see the strftime(3) manual page for details
xscreensaver.dateFormat: %I:%M%P %a %b %d, %Y

! xclock -----
-
xclock*update: 1
xclock*analog: false
xclock*foreground: grey40
xclock*background: black
xclock*font: *-fixed-*-8-*-*-*-*-*-*

! urxvt config -----
-
URxvt.termName: rxvt-unicode
URxvt.imLocale: fr_FR.UTF-8
URxvt.saveLines: 5000
URxvt.cursorBlink: true
URxvt.foreground: #bcbcbc
URxvt.background: #000000
URxvt.cursorColor: #e0e080
URxvt.throughColor: #8080f0
URxvt.highlightColor: #343434
URxvt.transparent: true
URxvt.tintColor: #999999
URxvt.fading: 40
```

```
URxvt.visualBell: true
URxvt.urgentOnBell: true
URxvt.font: *-terminus-medium-*-*-*12-*-*-*-*-*-*
URxvt.scrollBar: false
URxvt.scrollBar_right: false
URxvt.urlLauncher: luakit
URxvt.matcher.button: 3
URxvt.perl-ext-common: default,matcher
! colors
! link
URxvt.colorUL: #D7D7D7
! black
URxvt.color0: #292929
URxvt.color8: #5A5A5A
! red
URxvt.color1: #494949
URxvt.color9: #7A7A7A
! green
URxvt.color2: #696969
URxvt.color10: #9A9A9A
! yellow
URxvt.color3: #B3B3B3
URxvt.color11: #C2C2C2
! blue
URxvt.color4: #898989
URxvt.color12: #A3A3A3
! purple
URxvt.color5: #595959
URxvt.color13: #737373
! cyan
URxvt.color6: #969696
URxvt.color14: #ADADAD
! white
URxvt.color7: #D7D7D7
URxvt.color15: #EEEEEC

! aterm -----
-
Aterm*background: #000000
Aterm*foreground: #bcbcbc
Aterm*transparent: true
Aterm*shading: 80
Aterm*cursorColor: #d8d8d8
Aterm*scrollbars: false
Aterm*saveLines: 2000
Aterm*tinting: gray
Aterm*scrollBar: false
Aterm*transpscrollbar: true
Aterm*borderwidth: 0
Aterm*font: *-terminus-medium-*-*-*12-*-*-*-*-*-*
Aterm*geometry: 80x25
```

```
Aterm*fading: 70

! xcalc -----
-
xcalc*geometry: 200x275
xcalc.ti.bevel.background: #111111
xcalc.ti.bevel.screen.background: #000000
xcalc.ti.bevel.screen.DEG.background: #000000
xcalc.ti.bevel.screen.DEG.foreground: LightSeaGreen
xcalc.ti.bevel.screen.GRAD.background: #000000
xcalc.ti.bevel.screen.GRAD.foreground: LightSeaGreen
xcalc.ti.bevel.screen.RAD.background: #000000
xcalc.ti.bevel.screen.RAD.foreground: LightSeaGreen
xcalc.ti.bevel.screen.INV.background: #000000
xcalc.ti.bevel.screen.INV.foreground: Red
xcalc.ti.bevel.screen.LCD.background: #000000
xcalc.ti.bevel.screen.LCD.foreground: LightSeaGreen
xcalc.ti.bevel.screen.LCD.shadowWidth: 0
xcalc.ti.bevel.screen.M.background: #000000
xcalc.ti.bevel.screen.M.foreground: LightSeaGreen
xcalc.ti.bevel.screen.P.background: #000000
xcalc.ti.bevel.screen.P.foreground: Yellow
xcalc.ti.Command.foreground: White
xcalc.ti.Command.background: #777777
xcalc.ti.button5.background: Orange3
xcalc.ti.button19.background: #611161
xcalc.ti.button18.background: #611161
xcalc.ti.button20.background: #611111
!uncomment to change label on division button
!xcalc.ti.button20.label:     /
xcalc.ti.button25.background: #722222
xcalc.ti.button30.background: #833333
xcalc.ti.button35.background: #944444
xcalc.ti.button40.background: #a55555
xcalc.ti.button22.background: #222262
xcalc.ti.button23.background: #222262
xcalc.ti.button24.background: #222272
xcalc.ti.button27.background: #333373
xcalc.ti.button28.background: #333373
xcalc.ti.button29.background: #333373
xcalc.ti.button32.background: #444484
xcalc.ti.button33.background: #444484
xcalc.ti.button34.background: #444484
xcalc.ti.button37.background: #555595
xcalc.ti.button38.background: #555595
xcalc.ti.button39.background: #555595
XCalc*Cursor: hand2
XCalc*ShapeStyle: rectangle
!
! eof -----
-
```


Solarized



[solarized.xresources](#)

```
! author: arpinux <http://arpinux.org>
! ~/.Xresources configuration file
!-----
-

!! drop in Solarized colorscheme for Xresources/Xdefaults

!!SOLARIZED HEX      16/8 TERMCOL  XTERM/HEX   L*A*B       RGB
HSB
!!-----
-----
!!base03    #002b36   8/4 brblack  234 #1c1c1c  15 -12 -12   0  43  54
193 100  21
!!base02    #073642   0/4 black    235 #262626  20 -12 -12   7  54  66
192  90  26
!!base01    #586e75  10/7 brgreen  240 #585858  45 -07 -07  88 110 117
194  25  46
!!base00    #657b83  11/7 bryellow 241 #626262  50 -07 -07 101 123 131
195  23  51
!!base0     #839496  12/6 brblue   244 #808080  60 -06 -03 131 148 150
186  13  59
!!base1     #93a1a1  14/4 brcyan   245 #8a8a8a  65 -05 -02 147 161 161
180  9   63
!!base2     #eee8d5   7/7 white     254 #e4e4e4  92 -00  10 238 232 213
44  11  93
!!base3     #fdf6e3  15/7 brwhite  230 #ffffd7  97  00  10 253 246 227
44  10  99
!!yellow    #b58900   3/3 yellow    136 #af8700  60  10  65 181 137  0
45 100  71
!!orange    #cb4b16   9/3 brred     166 #d75f00  50  50  55 203  75  22
18  89  80
!!red       #dc322f   1/1 red       160 #d70000  50  65  45 220  50  47
1  79  86
!!magenta   #d33682   5/5 magenta   125 #af005f  50  65 -05 211  54 130
331 74  83
!!violet    #6c71c4  13/5 brmagenta 61 #5f5faf  50  15 -45 108 113 196
237 45  77
!!blue      #268bd2   4/4 blue      33 #0087ff  55 -10 -45  38 139 210
205 82  82
!!cyan      #2aa198   6/6 cyan      37 #00afaf  60 -35 -05  42 161 152
175 74  63
!!green     #859900   2/2 green     64 #5f8700  60 -20  65 133 153  0
68 100  60
```

```
#define S_base03      #002b36
#define S_base02      #073642
#define S_base01      #586e75
#define S_base00      #657b83
#define S_base0       #839496
#define S_base1       #93a1a1
#define S_base2       #eee8d5
#define S_base3       #fdf6e3
#define S_yellow      #b58900
#define S_orange      #cb4b16
#define S_red          #dc322f
#define S_magenta     #d33682
#define S_violet      #6c71c4
#define S_blue        #268bd2
#define S_cyan        #2aa198
#define S_green       #859900

*background:         S_base03
*foreground:         S_base00
*fading:              40
*fadeOutColor:       S_base03
*cursorColor:        S_base1
*pointerColorBackground:S_base01
*pointerColorForeground:S_base1

!! black dark/light
*color0:              S_base02
*color8:              S_base03

!! red dark/light
*color1:              S_red
*color9:              S_orange

!! green dark/light
*color2:              S_green
*color10:             S_base01

!! yellow dark/light
*color3:              S_yellow
*color11:             S_base00

!! blue dark/light
*color4:              S_blue
*color12:             S_base0

!! magenta dark/light
*color5:              S_magenta
*color13:            S_violet

!! cyan dark/light
*color6:              S_cyan
```

```
*color14:          S_base1

!! white dark/light
*color7:           S_base2
*color15:          S_base3

! dzen2 -----
-
dzen2.font:  *-fixed-*-*-10-70-*-*-*-*-*-

! Xcursor settings -----
-
Xcursor.theme:  ATER_Blue

! Xft settings -----
-
Xft.dpi: 96
Xft.autohint: 0
Xft.lcdfilter: lcddefault
Xft.antialias: 1
Xft.rgba: rgb
Xft.hinting: 1
Xft.hintstyle: hintfull

! xterm -----
-
xterm*saveLines: 1000
xterm*AllowIconInput: on
xterm*Border: gray
xterm*DeiconifyWarp: off
xterm*Font:  *-terminus-medium-*-*-12-*-*-*-*-*-
xterm*InternalBorder: 1
xterm*MarginBell: off
xterm*MenuFont: fixed8
xterm*Mouse: yellow
xterm*TitleFont: vtbold
xterm*charClass: 33:48,37:48,45-47:48,64:48
xterm*colorAttrMode: true
xterm*colorMode: true
xterm*curses: on
xterm*cutNewline: off
xterm*jumpScroll: on
xterm*multiClickTime: 500
xterm*multiScroll: on
xterm*reverseVideo: on
xterm*reverseWrap: off
xterm*scrollBar: off

! xcolorsel -----
-
```

```
xcolorsel*Font:  -*-terminus-medium-**-**-12-**-**-**-**-*
xcolorsel.geometry: 399x595
xcolorsel*displayFormat: #rrggbb
xcolorsel*maxRows: 99

! xfontsel -----
-
!xfontsel*Background: grey20
!xfontsel*Foreground: grey80

! xosview -----
-
xosview*font:  -*-terminus-medium-**-**-12-**-**-**-**-*
!xosview*background: grey20
!xosview*foreground: grey80
xosview*net: true
xosview*netIface: eth0

! xscreensaver -----
-
!font settings
xscreensaver.Dialog.headingFont:  -*-dina-bold-r**-**-12-**-**-**-**-*
xscreensaver.Dialog.bodyFont:  -*-dina-medium-r**-**-12-**-**-**-**-*
xscreensaver.Dialog.labelFont:  -*-dina-medium-r**-**-12-**-**-**-**-*
xscreensaver.Dialog.unameFont:  -*-dina-medium-r**-**-12-**-**-**-**-*
xscreensaver.Dialog.buttonFont:  -*-dina-bold-r**-**-12-**-**-**-**-*
xscreensaver.Dialog.dateFont:  -*-dina-medium-r**-**-12-**-**-**-**-*
xscreensaver.passwd.passwdFont:  -*-dina-bold-r**-**-12-**-**-**-**-*
!general dialog box (affects main hostname, username, password text)
!xscreensaver.Dialog.foreground: #ffffff
xscreensaver.Dialog.background: #111111
xscreensaver.Dialog.topShadowColor: #111111
xscreensaver.Dialog.bottomShadowColor: #111111
xscreensaver.Dialog.Button.foreground: #666666
xscreensaver.Dialog.Button.background: #ffffff
!username/password input box and date text colour
xscreensaver.Dialog.text.foreground: #666666
xscreensaver.Dialog.text.background: #ffffff
xscreensaver.Dialog.internalBorderWidth: 24
xscreensaver.Dialog.borderWidth: 20
xscreensaver.Dialog.shadowThickness: 2
!timeout bar (background is actually determined by
Dialog.text.background)
xscreensaver.passwd.thermometer.foreground: #006aff
xscreensaver.passwd.thermometer.background: #000000
xscreensaver.passwd.thermometer.width: 8
!datestamp format--see the strftime(3) manual page for details
xscreensaver.dateFormat: %I:%M%P  %a %b %d, %Y

! xclock -----
```

```
-
xclock*update: 1
xclock*analog: false
xclock*font: *-fixed-*-8-*-
! urxvt config -----
-
URxvt.termName: rxvt-unicode
URxvt.imLocale: fr_FR.UTF-8
URxvt.saveLines: 5000
URxvt.cursorBlink: true
URxvt.cursorColor: #e0e080
URxvt.throughColor: #8080f0
URxvt.highlightColor: #343434
!URxvt.transparent: true
URxvt.visualBell: true
URxvt.urgentOnBell: true
!URxvt.tintColor: #999999
URxvt.font: *-terminus-medium-*-12-*-
URxvt.scrollBar: false
URxvt.scrollBar_right: false
URxvt.urlLauncher: luakit
URxvt.matcher.button: 3
URxvt.perl-ext-common: default,matcher
! colors
! link
URxvt.colorUL: #4E9A06

! aterm -----
-
!Aterm*background: #000000
!Aterm*foreground: #bcbcbc
Aterm*transparent: true
Aterm*shading: 80
Aterm*cursorColor: #d8d8d8
Aterm*scrollbars: false
Aterm*saveLines: 2000
Aterm*tinting: gray
Aterm*scrollBar: false
Aterm*transpscrollbar: true
Aterm*borderwidth: 0
Aterm*font: *-terminus-medium-*-12-*-
Aterm*geometry: 80x25
Aterm*fading: 70

! xcalc -----
-
xcalc*geometry: 200x275
xcalc.ti.bevel.background: #111111
xcalc.ti.bevel.screen.background: #000000
xcalc.ti.bevel.screen.DEG.background: #000000
```

```
xcalc.ti.bevel.screen.DEG.foreground: LightSeaGreen
xcalc.ti.bevel.screen.GRAD.background: #000000
xcalc.ti.bevel.screen.GRAD.foreground: LightSeaGreen
xcalc.ti.bevel.screen.RAD.background: #000000
xcalc.ti.bevel.screen.RAD.foreground: LightSeaGreen
xcalc.ti.bevel.screen.INV.background: #000000
xcalc.ti.bevel.screen.INV.foreground: Red
xcalc.ti.bevel.screen.LCD.background: #000000
xcalc.ti.bevel.screen.LCD.foreground: LightSeaGreen
xcalc.ti.bevel.screen.LCD.shadowWidth: 0
xcalc.ti.bevel.screen.M.background: #000000
xcalc.ti.bevel.screen.M.foreground: LightSeaGreen
xcalc.ti.bevel.screen.P.background: #000000
xcalc.ti.bevel.screen.P.foreground: Yellow
xcalc.ti.Command.foreground: White
xcalc.ti.Command.background: #777777
xcalc.ti.button5.background: Orange3
xcalc.ti.button19.background: #611161
xcalc.ti.button18.background: #611161
xcalc.ti.button20.background: #611111
!uncomment to change label on division button
!xcalc.ti.button20.label:        /
xcalc.ti.button25.background: #722222
xcalc.ti.button30.background: #833333
xcalc.ti.button35.background: #944444
xcalc.ti.button40.background: #a55555
xcalc.ti.button22.background: #222262
xcalc.ti.button23.background: #222262
xcalc.ti.button24.background: #222272
xcalc.ti.button27.background: #333373
xcalc.ti.button28.background: #333373
xcalc.ti.button29.background: #333373
xcalc.ti.button32.background: #444484
xcalc.ti.button33.background: #444484
xcalc.ti.button34.background: #444484
xcalc.ti.button37.background: #555595
xcalc.ti.button38.background: #555595
xcalc.ti.button39.background: #555595
XCalc*Cursor: hand2
XCalc*ShapeStyle: rectangle
!
! eof -----
-
```

Solarized clear



solarized_clear.xresources

```

! author: arpinux <http://arpinux.org>
! ~/.Xresources configuration file
!-----
-

!! drop in Solarized colorscheme for Xresources/Xdefaults

!!SOLARIZED HEX      16/8 TERMCOL  XTERM/HEX   L*A*B      RGB
HSB
!!-----
-----
!!base03    #002b36  8/4 brblack  234 #1c1c1c 15 -12 -12   0  43  54
193 100  21
!!base02    #073642  0/4 black    235 #262626 20 -12 -12   7  54  66
192  90  26
!!base01    #586e75 10/7 brgreen  240 #585858 45 -07 -07  88 110 117
194  25  46
!!base00    #657b83 11/7 bryellow 241 #626262 50 -07 -07 101 123 131
195  23  51
!!base0     #839496 12/6 brblue   244 #808080 60 -06 -03 131 148 150
186  13  59
!!base1     #93a1a1 14/4 brcyan   245 #8a8a8a 65 -05 -02 147 161 161
180  9   63
!!base2     #eee8d5  7/7 white    254 #e4e4e4 92 -00  10 238 232 213
44  11  93
!!base3     #fdf6e3 15/7 brwhite  230 #ffffd7 97  00  10 253 246 227
44  10  99
!!yellow    #b58900  3/3 yellow   136 #af8700 60  10  65 181 137  0
45 100  71
!!orange    #cb4b16  9/3 brred    166 #d75f00 50  50  55 203  75  22
18  89  80
!!red       #dc322f  1/1 red      160 #d70000 50  65  45 220  50  47
1  79  86
!!magenta   #d33682  5/5 magenta  125 #af005f 50  65 -05 211  54 130
331 74  83
!!violet    #6c71c4 13/5 brmagenta 61 #5f5faf 50  15 -45 108 113 196
237 45  77
!!blue      #268bd2  4/4 blue     33 #0087ff 55 -10 -45  38 139 210
205 82  82
!!cyan      #2aa198  6/6 cyan     37 #00afaf 60 -35 -05  42 161 152
175 74  63
!!green     #859900  2/2 green    64 #5f8700 60 -20  65 133 153  0
68 100  60

#define S_base03    #002b36
#define S_base02    #073642
#define S_base01    #586e75
#define S_base00    #657b83
#define S_base0     #839496

```

```
#define S_base1          #93a1a1
#define S_base2          #eee8d5
#define S_base3          #fdf6e3
#define S_yellow         #b58900
#define S_orange         #cb4b16
#define S_red            #dc322f
#define S_magenta        #d33682
#define S_violet         #6c71c4
#define S_blue           #268bd2
#define S_cyan           #2aa198
#define S_green          #859900

*background:           S_base00
*foreground:           S_base03
*fading:               40
*fadeColor:            S_base00
*cursorColor:          S_base1
*pointerColorBackground:S_base01
*pointerColorForeground:S_base1

!! black dark/light
*color0:               S_base02
*color8:               S_base03

!! red dark/light
*color1:               S_red
*color9:               S_orange

!! green dark/light
*color2:               S_green
*color10:              S_base01

!! yellow dark/light
*color3:               S_yellow
*color11:              S_base00

!! blue dark/light
*color4:               S_blue
*color12:              S_base0

!! magenta dark/light
*color5:               S_magenta
*color13:              S_violet

!! cyan dark/light
*color6:               S_cyan
*color14:              S_base1

!! white dark/light
*color7:               S_base2
*color15:              S_base3
```



```
! dzen2 -----  
-  
dzen2.font: *-fixed-*-*-10-70-*-*-*-*-  
  
! Xcursor settings -----  
-  
Xcursor.theme: ATER_Blue  
  
! Xft settings -----  
-  
Xft.dpi: 96  
Xft.autohint: 0  
Xft.lcdfilter: lcddefault  
Xft.antialias: 1  
Xft.rgba: rgb  
Xft.hinting: 1  
Xft.hintstyle: hintfull  
  
! xterm -----  
-  
xterm*saveLines: 1000  
xterm*AllowIconInput: on  
xterm*Border: gray  
xterm*DeiconifyWarp: off  
xterm*Font: *-terminus-medium-*-*-12-*-*-*-*-  
xterm*InternalBorder: 1  
xterm*MarginBell: off  
xterm*MenuFont: fixed8  
xterm*Mouse: yellow  
xterm*TitleFont: vtbold  
xterm*charClass: 33:48,37:48,45-47:48,64:48  
xterm*colorAttrMode: true  
xterm*colorMode: true  
xterm*curses: on  
xterm*cutNewline: off  
xterm*jumpScroll: on  
xterm*multiClickTime: 500  
xterm*multiScroll: on  
xterm*reverseVideo: on  
xterm*reverseWrap: off  
xterm*scrollBar: off  
  
! xcolorsel -----  
-  
xcolorsel*Font: *-terminus-medium-*-*-12-*-*-*-*-  
xcolorsel.geometry: 399x595  
xcolorsel*displayFormat: #rrggb  
xcolorsel*maxRows: 99
```

```
! xfontsel -----
-
!xfontsel*Background: grey20
!xfontsel*Foreground: grey80

! xosview -----
-
xosview*font: *-terminus-medium-*-*-*12-*-*-*-*-*-*
!xosview*background: grey20
!xosview*foreground: grey80
xosview*net: true
xosview*netIface: eth0

! xscreensaver -----
-
!font settings
xscreensaver.Dialog.headingFont: *-dina-bold-r-*-*12-*-*-*-*-*-*
xscreensaver.Dialog.bodyFont: *-dina-medium-r-*-*12-*-*-*-*-*-*
xscreensaver.Dialog.labelFont: *-dina-medium-r-*-*12-*-*-*-*-*-*
xscreensaver.Dialog.unameFont: *-dina-medium-r-*-*12-*-*-*-*-*-*
xscreensaver.Dialog.buttonFont: *-dina-bold-r-*-*12-*-*-*-*-*-*
xscreensaver.Dialog.dateFont: *-dina-medium-r-*-*12-*-*-*-*-*-*
xscreensaver.passwd.passwdFont: *-dina-bold-r-*-*12-*-*-*-*-*-*
!general dialog box (affects main hostname, username, password text)
!xscreensaver.Dialog.foreground: #ffffff
xscreensaver.Dialog.background: #111111
xscreensaver.Dialog.topShadowColor: #111111
xscreensaver.Dialog.bottomShadowColor: #111111
xscreensaver.Dialog.Button.foreground: #666666
xscreensaver.Dialog.Button.background: #ffffff
!username/password input box and date text colour
xscreensaver.Dialog.text.foreground: #666666
xscreensaver.Dialog.text.background: #ffffff
xscreensaver.Dialog.internalBorderWidth: 24
xscreensaver.Dialog.borderWidth: 20
xscreensaver.Dialog.shadowThickness: 2
!timeout bar (background is actually determined by
Dialog.text.background)
xscreensaver.passwd.thermometer.foreground: #006aff
xscreensaver.passwd.thermometer.background: #000000
xscreensaver.passwd.thermometer.width: 8
!datestamp format--see the strftime(3) manual page for details
xscreensaver.dateFormat: %I:%M%P %a %b %d, %Y

! xclock -----
-
xclock*update: 1
xclock*analog: false
xclock*font: *-fixed-*-*-*8-*-*-*-*-*-*
```

```
! urxvt config -----
-
URxvt.termName: rxvt-unicode
URxvt.imLocale: fr_FR.UTF-8
URxvt.saveLines: 5000
URxvt.cursorBlink: true
URxvt.cursorColor: #e0e080
URxvt.throughColor: #8080f0
URxvt.highlightColor: #343434
!URxvt.transparent: true
URxvt.visualBell: true
URxvt.urgentOnBell: true
!URxvt.tintColor: #999999
URxvt.font: *-terminus-medium-*-*-12-*-*-*-*-*-
URxvt.scrollBar: false
URxvt.scrollBar_right: false
URxvt.urlLauncher: luakit
URxvt.matcher.button: 3
URxvt.perl-ext-common: default,matcher
! colors
! link
URxvt.colorUL: #4E9A06

! aterm -----
-
!Aterm*background: #000000
!Aterm*foreground: #bcbcbc
Aterm*transparent: true
Aterm*shading: 80
Aterm*cursorColor: #d8d8d8
Aterm*scrollbars: false
Aterm*saveLines: 2000
Aterm*tinting: gray
Aterm*scrollBar: false
Aterm*transpscrollbar: true
Aterm*borderwidth: 0
Aterm*font: *-terminus-medium-*-*-12-*-*-*-*-*-
Aterm*geometry: 80x25
Aterm*fading: 70

! xcalc -----
-
xcalc*geometry: 200x275
xcalc.ti.bevel.background: #111111
xcalc.ti.bevel.screen.background: #000000
xcalc.ti.bevel.screen.DEG.background: #000000
xcalc.ti.bevel.screen.DEG.foreground: LightSeaGreen
xcalc.ti.bevel.screen.GRAD.background: #000000
xcalc.ti.bevel.screen.GRAD.foreground: LightSeaGreen
xcalc.ti.bevel.screen.RAD.background: #000000
xcalc.ti.bevel.screen.RAD.foreground: LightSeaGreen
```

```
xcalc.ti.bevel.screen.INV.background: #000000
xcalc.ti.bevel.screen.INV.foreground: Red
xcalc.ti.bevel.screen.LCD.background: #000000
xcalc.ti.bevel.screen.LCD.foreground: LightSeaGreen
xcalc.ti.bevel.screen.LCD.shadowWidth: 0
xcalc.ti.bevel.screen.M.background: #000000
xcalc.ti.bevel.screen.M.foreground: LightSeaGreen
xcalc.ti.bevel.screen.P.background: #000000
xcalc.ti.bevel.screen.P.foreground: Yellow
xcalc.ti.Command.foreground: White
xcalc.ti.Command.background: #777777
xcalc.ti.button5.background: Orange3
xcalc.ti.button19.background: #611161
xcalc.ti.button18.background: #611161
xcalc.ti.button20.background: #611111
!uncomment to change label on division button
!xcalc.ti.button20.label: /
xcalc.ti.button25.background: #722222
xcalc.ti.button30.background: #833333
xcalc.ti.button35.background: #944444
xcalc.ti.button40.background: #a55555
xcalc.ti.button22.background: #222262
xcalc.ti.button23.background: #222262
xcalc.ti.button24.background: #222272
xcalc.ti.button27.background: #333373
xcalc.ti.button28.background: #333373
xcalc.ti.button29.background: #333373
xcalc.ti.button32.background: #444484
xcalc.ti.button33.background: #444484
xcalc.ti.button34.background: #444484
xcalc.ti.button37.background: #555595
xcalc.ti.button38.background: #555595
xcalc.ti.button39.background: #555595
XCalc*Cursor: hand2
XCalc*ShapeStyle: rectangle
!
! eof -----
-
```

Tango



[tango.xresources](#)

```
! author: arpinux <http://arpinux.org>
! ~/.Xresources configuration file
!-----
```

```
-  
  
!tango colors  
#define S_base03          #555753  
#define S_base02          #2e3436  
#define S_base01          #8ae234  
#define S_base00          #fce94f  
#define S_base0           #729fcf  
#define S_base1           #00f5e9  
#define S_base2           #d3d7cf  
#define S_base3           #eeeeec  
#define S_yellow          #c4a000  
#define S_orange          #ef2929  
#define S_red             #cc0000  
#define S_magenta        #75507b  
#define S_violet         #ad7fa8  
#define S_blue           #00afff  
#define S_cyan           #0b939b  
#define S_green          #4e9a06  
  
*background:             S_base03  
*foreground:             S_base00  
*fading:                 40  
*fadeOutColor:           S_base03  
*cursorColor:           S_base1  
*pointerColorBackground:S_base01  
*pointerColorForeground:S_base1  
  
!! black dark/light  
*color0:                 S_base02  
*color8:                 S_base03  
  
!! red dark/light  
*color1:                 S_red  
*color9:                 S_orange  
  
!! green dark/light  
*color2:                 S_green  
*color10:                S_base01  
  
!! yellow dark/light  
*color3:                 S_yellow  
*color11:                S_base00  
  
!! blue dark/light  
*color4:                 S_blue  
*color12:                S_base0  
  
!! magenta dark/light  
*color5:                 S_magenta  
*color13:                S_violet
```

```
!! cyan dark/light
*color6:          S_cyan
*color14:         S_base1

!! white dark/light
*color7:          S_base2
*color15:         S_base3

! dzen2 -----
-
dzen2.font:  *-fixed-**-*-10-70-**-*-*-*-

! Xcursor settings -----
-
Xcursor.theme:  ATER_Blue

! Xft settings -----
-
Xft.dpi: 96
Xft.autohint: 0
Xft.lcdfilter: lcddefault
Xft.antialias: 1
Xft.rgba: rgb
Xft.hinting: 1
Xft.hintstyle: hintfull

! xterm -----
-
xterm*saveLines: 1000
xterm*AllowIconInput: on
xterm*Border: gray
xterm*DeiconifyWarp: off
xterm*Font:  *-terminus-medium-**-12-**-*-*-*-
xterm*InternalBorder: 1
xterm*MarginBell: off
xterm*MenuFont: fixed8
xterm*Mouse: yellow
xterm*TitleFont: vtbold
xterm*charClass: 33:48,37:48,45-47:48,64:48
xterm*colorAttrMode: true
xterm*colorMode: true
xterm*curses: on
xterm*cutNewline: off
xterm*jumpScroll: on
xterm*multiClickTime: 500
xterm*multiScroll: on
xterm*reverseVideo: on
xterm*reverseWrap: off
xterm*scrollBar: off
```

```
! xcolorsel -----
-
xcolorsel*Font: *-terminus-medium-*-*-12-*-*-*-*-*-
xcolorsel.geometry: 399x595
xcolorsel*displayFormat: #rrggbb
xcolorsel*maxRows: 99

! xosview -----
-
xosview*font: *-terminus-medium-*-*-12-*-*-*-*-*-
xosview*net: true
xosview*netIface: eth0

! xscreensaver -----
-
!font settings
xscreensaver.Dialog.headingFont: *-dina-bold-r-*-12-*-*-*-*-*-
xscreensaver.Dialog.bodyFont: *-dina-medium-r-*-12-*-*-*-*-*-
xscreensaver.Dialog.labelFont: *-dina-medium-r-*-12-*-*-*-*-*-
xscreensaver.Dialog.unameFont: *-dina-medium-r-*-12-*-*-*-*-*-
xscreensaver.Dialog.buttonFont: *-dina-bold-r-*-12-*-*-*-*-*-
xscreensaver.Dialog.dateFont: *-dina-medium-r-*-12-*-*-*-*-*-
xscreensaver.passwd.passwdFont: *-dina-bold-r-*-12-*-*-*-*-*-
!general dialog box (affects main hostname, username, password text)
xscreensaver.Dialog.foreground: #ffffff
xscreensaver.Dialog.background: #111111
xscreensaver.Dialog.topShadowColor: #111111
xscreensaver.Dialog.bottomShadowColor: #111111
xscreensaver.Dialog.Button.foreground: #666666
xscreensaver.Dialog.Button.background: #ffffff
!username/password input box and date text colour
xscreensaver.Dialog.text.foreground: #666666
xscreensaver.Dialog.text.background: #ffffff
xscreensaver.Dialog.internalBorderWidth: 24
xscreensaver.Dialog.borderWidth: 20
xscreensaver.Dialog.shadowThickness: 2
!timeout bar (background is actually determined by
Dialog.text.background)
xscreensaver.passwd.thermometer.foreground: #006aff
xscreensaver.passwd.thermometer.background: #000000
xscreensaver.passwd.thermometer.width: 8
!datestamp format--see the strftime(3) manual page for details
xscreensaver.dateFormat: %I:%M%P %a %b %d, %Y

! xclock -----
-
xclock*update: 1
xclock*analog: false
xclock*font: *-fixed-*-*-8-*-*-*-*-*-
```

```
! urxvt config -----
-
URxvt.termName: rxvt-unicode
URxvt.imLocale: fr_FR.UTF-8
URxvt.saveLines: 5000
URxvt.cursorBlink: true
URxvt.cursorColor: #e0e080
URxvt.throughColor: #8080f0
URxvt.highlightColor: #343434
!URxvt.transparent: true
URxvt.visualBell: true
URxvt.urgentOnBell: true
!URxvt.tintColor: #999999
URxvt.font: *-terminus-medium-*-12-*-*-*-*-*
URxvt.scrollBar: false
URxvt.scrollBar_right: false
URxvt.urlLauncher: luakit
URxvt.matcher.button: 3
URxvt.perl-ext-common: default,matcher
! colors
! link
URxvt.colorUL: #4E9A06

! aterm -----
-
Aterm*transparent: true
Aterm*shading: 80
Aterm*cursorColor: #d8d8d8
Aterm*scrollbars: false
Aterm*saveLines: 2000
Aterm*tinting: gray
Aterm*scrollBar: false
Aterm*transpscrollbar: true
Aterm*borderwidth: 0
Aterm*font: *-terminus-medium-*-12-*-*-*-*-*
Aterm*geometry: 80x25
Aterm*fading: 70

! xcalc -----
-
xcalc*geometry: 200x275
xcalc.ti.bevel.background: #111111
xcalc.ti.bevel.screen.background: #000000
xcalc.ti.bevel.screen.DEG.background: #000000
xcalc.ti.bevel.screen.DEG.foreground: LightSeaGreen
xcalc.ti.bevel.screen.GRAD.background: #000000
xcalc.ti.bevel.screen.GRAD.foreground: LightSeaGreen
xcalc.ti.bevel.screen.RAD.background: #000000
xcalc.ti.bevel.screen.RAD.foreground: LightSeaGreen
xcalc.ti.bevel.screen.INV.background: #000000
xcalc.ti.bevel.screen.INV.foreground: Red
```



```
xcalc.ti.bevel.screen.LCD.background: #000000
xcalc.ti.bevel.screen.LCD.foreground: LightSeaGreen
xcalc.ti.bevel.screen.LCD.shadowWidth: 0
xcalc.ti.bevel.screen.M.background: #000000
xcalc.ti.bevel.screen.M.foreground: LightSeaGreen
xcalc.ti.bevel.screen.P.background: #000000
xcalc.ti.bevel.screen.P.foreground: Yellow
xcalc.ti.Command.foreground: White
xcalc.ti.Command.background: #777777
xcalc.ti.button5.background: Orange3
xcalc.ti.button19.background: #611161
xcalc.ti.button18.background: #611161
xcalc.ti.button20.background: #611111
!uncomment to change label on division button
!xcalc.ti.button20.label:      /
xcalc.ti.button25.background: #722222
xcalc.ti.button30.background: #833333
xcalc.ti.button35.background: #944444
xcalc.ti.button40.background: #a55555
xcalc.ti.button22.background: #222262
xcalc.ti.button23.background: #222262
xcalc.ti.button24.background: #222272
xcalc.ti.button27.background: #333373
xcalc.ti.button28.background: #333373
xcalc.ti.button29.background: #333373
xcalc.ti.button32.background: #444484
xcalc.ti.button33.background: #444484
xcalc.ti.button34.background: #444484
xcalc.ti.button37.background: #555595
xcalc.ti.button38.background: #555595
xcalc.ti.button39.background: #555595
XCalc*Cursor: hand2
XCalc*ShapeStyle: rectangle
!
! eof -----
-
```

From:

<http://debian-facile.org/> - **Documentation - Wiki**

Permanent link:

<http://debian-facile.org/utilisateurs:arpinux:tutos:cli-colorscheme>



Last update: **02/07/2016 19:17**