

Afficher le contenu de tous les fichiers sources valides d'apt.

```
find /etc/apt -type f -regex ".*\.(list.*|sources.*)" -exec bash -c  
'echo -e "\n$1"; [[ "${1##*/}" =~ (list|sources)$ ]] && cat -n "$1" _ '{}'  
\;
```

Elle liste aussi tous les fichiers contenant *list* ou *sources* dans leur extension sans en afficher le contenu.

Un fichier source valide doit avoir l'extension **.list** ou **.sources**

Exemple de retour

```
/etc/apt/sources.list  
  
/etc/apt/sources.list.d/VirtualBox.sources  
1 # Sources pour VirtualBox  
2  
3 Enabled: yes  
4 Types: deb  
5 URIs: https://download.virtualbox.org/virtualbox/debian  
6 Suites: bullseye  
7 Components: contrib  
8 Architectures: amd64  
9 Signed-by: /usr/share/keyrings/oracle_vbox_2016-archive-keyring.gpg  
/usr/share/keyrings/oracle_vbox-archive-keyring.gpg  
  
/etc/apt/sources.list.d/paquets-sources.sources  
1 # Sources pour Bullseye :  
2  
3 Enabled: no  
4 Types: deb-src  
5 Uris: https://deb.debian.org/debian  
6 Suites: bullseye bullseye-updates proposed-updates  
7 Components: main contrib non-free  
8  
9 Enabled: no  
10 Types: deb-src  
11 URIs: https://security.debian.org/debian-security  
12 Suite: bullseye-security  
13 Components: main contrib non-free  
  
/etc/apt/sources.list.d/bullseye.sources  
1 # Sources list pour Bullseye :  
2  
3 Types: deb  
4 URIs: https://deb.debian.org/debian  
5 Suites: bullseye bullseye-updates proposed-updates bullseye-  
backports
```

Last update:

16/05/2023

22:06

utilisateurs:tawal:commandes:afficher-les-sources <http://debian-facile.org/utilisateurs:tawal:commandes:afficher-les-sources>

```
6 Components: main contrib non-free
7
8 Types: deb
9 URIs: https://security.debian.org/debian-security
10 Suites: bullseye-security
11 Components: main contrib non-free
```

From:

<http://debian-facile.org/> - **Documentation - Wiki**

Permanent link:

<http://debian-facile.org/utilisateurs:tawal:commandes:afficher-les-sources>



Last update: **16/05/2023 22:06**